Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(select\$4 adj candela) and (digital adj (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:33
L2	1	("5659293").PN.	USPAT	OR	OFF	2005/02/16 13:31
L3	0	(select\$4 adj candela) and (LED same (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:33
L4	200	(strobe same intensity) and (LED same (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:35
L5	154	strobe and (intensity same LED same (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:38
L6	3	strobe and (candela same LED same (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:41
L7 -	25	strobe and (address\$4 with network) and (fire adj alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/16 14:16
L8	1	("3712714").PN.	USPAT	OR	OFF	2005/02/16 14:16
S1	1	("6311021").PN.	USPAT	OR	OFF	2005/02/16 13:23
S2	1	("6522261").PN.	USPAT	OR	OFF	2005/02/08 10:02
S3	106	strobe same ((selectable variable plurality multiple multiplicity) near3 (intensit\$3 candela))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 10:05
S4	4	S3 and jumper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 10:08

S5	8	S3 and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 10:16
S6	6	("4853600" "4900990" "4951081" "5019805" "5570077" "5694118").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/08 10:11
S7	4	("6311021").URPN.	USPAT	OR	ON	2005/02/08 10:12
S8	, 29	S3 and ((intensity candela) with (display indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 13:50
S9	753	(362/802).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:50
S10	23	S9 and strobe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 13:52
S11	197	(340/293).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:52
S12	144	(340/294).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:52
S13	760	(340/331).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:53
S14	575	(340/815.4).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:53
S15	360	(340/815.73).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:53

				1		
S16	57	(396/164).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 13:53
S17	70	(S14 S15 S16) and strobe and (display indicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 14:00
S18	18	(S11 S12 S13) and strobe and ((display indicat\$3) with (intensity candle candela))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 14:00
S19	15	("5341069" "5400009" "5523654" "5598139" "5609375" "5673030" "5751210" "5850178" "5982275" "6049446" "6194994" "6311021" "6556132" "6583718" "6661337").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/08 14:01
S20		("4300133" "4701672" "4860148" "4916432" "4949017" "4952906" "5105126" "5179488" "5187653" "5189344" "5400009" "5598139" "5602522" "5659287" "5793589" "5850178" "5886431" "5886620" "5896092" "5962984" "6049446" "6243001").PN.	US-PGPUB; USPAT; USOCR	OR ·	ON	2005/02/08 14:02
S21	2	("6243001").URPN.	USPAT	OR	ON	2005/02/08 14:03
S22	4	("6311021").URPN.	USPAT	OR	ON	2005/02/08 14:25
S23	150	(strobe) and ((candela intensity) with (display indicat\$3) with (illuminat\$3 lighted))	USPAT	OR	ON	2005/02/08 14:27
S24	62	(strobe) and ((candela intensity) near6 (display indicat\$3) near6 (illuminat\$3 lighted))	USPAT	OR	ON	2005/02/08 14:30
S25	3	(strobe) and ((candela intensity) near6 (display indicat\$3) near6 (audible spoken oral aloud))	USPAT	OR	ON	2005/02/08 14:30
S26	18	(strobe) and ((candela intensity) near6 (audible spoken oral aloud))	USPAT	OR .	ON	2005/02/08 14:35
S27	2	(strobe) and ((candela intensity) near6 indication near6 (audible spoken oral aloud))	USPAT	OR	ON	2005/02/08 14:41
S28	18	intensity near6 audible near6 indication	USPAT	OR	ON	2005/02/14 13:30
S29	20	intensity near6 spoken	USPAT	OR	ON	2005/02/08 14:57

				Ι	I	
S30	0	pedometer same (audible near4 indication)	USPAT	OR	ON	2005/02/08 14:58
S31	0	pedometer same (talk with distance)	USPAT	OR	ON	2005/02/08 14:58
S32	21	alarm adj clock and (audible adj indication)	USPAT	OR	ON	2005/02/08 15:04
S33	60	(340/393.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:00
S34	52	clock same (time near6 (speak spoken))	USPAT	OR	ON	2005/02/08 15:04
S35	53	selection near6 audible near6 indicat\$3	USPAT	OR	ON	2005/02/14 13:34
S36	46	selection near6 lighted near6 indicat\$3	USPAT	OR	ON	2005/02/14 13:36
S37	6	selection near6 backlit near6 (indicat\$3 display)	USPAT	OR	ON	2005/02/14 13:37
S38	22	status near6 backlit near6 (indicat\$3 display)	USPAT	OR	ON	2005/02/14 15:06
S39	15	dimple with (indicat\$3 display) with angle	USPAT	OR	ON	2005/02/14 15:08
S40	234	bubble with (indicat\$3 display) with angle	USPAT	OR	ON	2005/02/14 15:08
S41	0	bubble with (indicat\$3 display) with angle with viewable	USPAT	OR	ON	2005/02/14 15:10
S42	0	bubble with (indicat\$3 display) with angle7 and magnif\$7	USPAT	OR	ON	2005/02/14 15:09
S43	0	S41 and strobe	USPAT	OR	ON	2005/02/14 15:09
S44	0	S40 and strobe	USPAT	OR	ON	2005/02/14 15:09
S45	6	S40 and alarm	USPAT	OR	ON	2005/02/14 15:09
S46	883	window with (indicat\$3 display) with angle	USPAT	OR	ON	2005/02/14 15:10
S47	11	window with (indicat\$3 display) with angle with viewable	USPAT	OR	ON	2005/02/14 15:11
S48	74	window with (indicat\$3 display) with bubble	USPAT	OR	ON	2005/02/14 15:11
S49	35	S48 and angle	USPAT	OR	ON.	2005/02/14 15:12
S50	63	viewing adj bubble	USPAT	OR	ON	2005/02/14 15:13
S51	43	S50 and angle	USPAT	OR	ON	2005/02/14 15:13
S52	40	S51 and (display indicat\$3)	USPAT	OR	ON	2005/02/14 15:14
S53	3	viewing adj dimple	USPAT	OR	ON	2005/02/14 15:15
S54	0	dimple adj window	USPAT	OR	ON	2005/02/14 15:18

S55	4067	strobe and ((indicat\$3 display) with (intensity setting))	USPAT	OR	ON	2005/02/14 15:19
S56	3235	strobe and ((indicat\$3 display) near8 (intensity setting))	USPAT	OR	ON	2005/02/14 15:33
S57	. 194	strobe and ((indicat\$3 display) near8 (intensity setting) with (window bubble dimple lens))	USPAT	OR	ON	2005/02/14 15:20
S58	28	strobe and ((indicat\$3 display) near8 (intensity setting)) and (fire adj alarm)	USPAT	OR	ON	2005/02/14 15:25
S59	519	S56 and alarm	USPAT	OR	ON	2005/02/14 15:33
S60	111	S59 and "340"/\$.ccls.	USPAT	OR	ON	2005/02/14 15:33
S61	306	strobe same ((indicat\$3 display) near8 (intensity setting))	USPAT	OR	ON	2005/02/14 15:35
S62	100	camera same (display indicat\$3) same (bubble dimple)	USPAT	OR	ON	2005/02/14 15:38
S63	7534	camera same ((display indicat\$3) with (exposures pictures))	USPAT	OR	ON	2005/02/14 15:39
S64	293	camera same ((display indicat\$3) with (exposures pictures) with (window bubble dome dimple))	USPAT	OR	ON	2005/02/14 15:42
S65	4	camera same ((display indicat\$3) with (exposures pictures) with (bubble dome dimple))	USPAT	OR	ON	2005/02/14 16:05
S66	289	camera same ((display indicat\$3) with (exposures pictures) with (window))	USPAT	OR	ON	2005/02/14 16:06
S67	0	camera same ((display indicat\$3) with (exposures pictures) with window with (viewable near4 angle))	USPAT	OR	ON	2005/02/14 16:05
S68	0	camera same ((display indicat\$3) with (exposures pictures) with (viewable near4 angle))	USPAT	OR	ON	2005/02/14 16:05
S69	81	(disposable adj camera) and ((display indicat\$3) with (exposures pictures))	USPAT	OR	ON	2005/02/14 16:06
S70	31	("1218082" "1285753" "1422527" "2548530" "2588054" "2619932" "2621866" "2652209" "2792744" "2917981" "3166672" "3174231" "3248050" "3388490" "4268150" "5005035" "5832322").PN.	US-PGPUB; USPAT; USOCR	OR ·	ON	2005/02/14 16:10
S71	0	("6259864").URPN.	USPAT	OR	ON	2005/02/14 16:13

						 -
S72	31	("1218082" "1285753" "1422527" "2548530" "2588054" "2619932" "2621866" "2652209" "2792744" "2917981" "3166672" "3174231" "3248050" "3388490" "4268150" "5005035" "5832322").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/14 16:15
S73	637	(count level status) adj indicator same (bubble dimple dome concave convex)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/14 16:16
S74	27	S73 and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/14 16:17
S75	186	(73/327).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:36
S76	350	(73/323).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:43
S77	5	(sight adj glass) with convex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:45
S78	104	(sight adj glass) and convex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:06
S79	13	(wristwatch (wrist adj watch)) same (convex adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:10
S80	24	(wristwatch (wrist adj watch)) same (lens with magnif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:11
S81	0	("T103802").URPN.	USPAT	OR	ON	2005/02/15 11:12
S82	0	"423887".rlan.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:06

						•
S83	1	("0423887").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 14:06
S84	0	"rinaldi.in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:06
S85	804	rinaldi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:07
S86	4	S85 and wristwatch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:35
S87	144	(fire adj alarm) and siemens.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:52
S88	0	S87 and (strobe candela)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/15 15:36
S89	0	S87 and (lumen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:36
S90	148	STROBE and siemens.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:48
S91	1327	(convex bubble) and siemens.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:50
S92	1	S91 and strobe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:48

S93	14	(sight adj glass) and siemens.as.	US-PGPUB;	OR	ON	2005/02/15 15:51
		, , , , , , , , , , , , , , , , , , , ,	USPAT; EPO; JPO; DERWENT; IBM_TDB			. ,
S94	107	(viewing adj window) and siemens. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:51
S95	0	S94 and strobe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:51
S96	0	S94 and fire adj alarm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/15 15:51
S97	280	(fire adj alarm) and (siemens.as. or cerberus.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:20
S98	0	S97 and strobe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:53
S99		("6569094").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 16:31
S10 0	0	siemens.as. and strobe\$1 and mount and plate and (selector adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:32
S10 1	63	strobe\$1 and mount and plate and (selector adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:33
S10 2	0	S101 and candela	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:33

S10 3	5	S101 and (strobe.ti. or strobe.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:34
S10 4	10	S101 and fire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:34
S10 5	0	(color adj coded) same (backlit adj (display indication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:38
S10 6	387	(color adj coded) same (lamp light\$2 with (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:42
S10 7	6	((color adj coded) same (intensity adj (level select\$3))) and (lamp light\$2 with (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:43
S10 8	26	((color adj coded) with (level select\$3)) same (lamp light\$2 with (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:47
S10 9	42	((color adj cod\$3) with (level select\$3 setting)) same ((lamp light\$2 backlit) with (display indication indicia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:51
S11 0	20	S109 not S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:48
S11 1	1020	((color adj cod\$3) with (level select\$3 setting)) same (display indication indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:52
S11 2	116	S111 and (intensity with (level select\$3 setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:52

S11 3	90	S111 and (intensity near6 (level select\$3 setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/02/16 10:52
			IBM_TDB			